

Electric Wiring Diagram, Model 450 SL/SLC (107.044/024)

- | | | | |
|--|---|--|---|
| 1 Headlamp unit, left | 16 Throttle valve switch | 51 Relay, auxiliary fan | 82 Tail lamp unit, left |
| a Turn signal lamp | 17 Electronic control unit, plug board | 52 Relay, separation air conditioner (auxiliary fan) from ignition change-over | a Side marker lamp |
| b Parking lamp/standing lamp | 18 Release contacts | 53 Auxiliary fan | b Turn signal lamp |
| c High beam | 19 Starter valve | 54 Fuel pump | c Tail/standing lamp |
| d Low beam | 20 Thermo-time switch | 55 Plug connection, tail lamp cable harness | d Back-up lamp |
| e Side marker lamp | 21 Brake fluid indicator lamp switch | 56 Temperature control with lighting, air conditioner | e Stop lamp |
| f Fog lamp | 22 Cigar lighter | 57 Pre-resistance, blower motor | * Special equipment |
| 2 Electric clock | 23 Turn signal and warning flasher relay | 58 Door contact switch, left | Wire Color Code |
| a Operation | 24 Horn contact | 59 Pre-resistance 0.4 Ω | bl = blue |
| b Illumination | 25 Combination switch | 60 Ignition coil | br = brown |
| 3 Seat belt warning lamp | a Turn signal lamp switch | 61 Pre-resistance 0.6 Ω | el = ivory |
| 4 Instrument cluster | b Headlamp flasher switch | 62 Entrance lamp, left | ge = yellow |
| a Turn signal indicator lamp, left | c Dimmer switch | 63 Transistorized ignition switching unit | gn = green |
| b Brake fluid and parking brake indicator lamp | d Wiper switch | 64 Safety belt warning system | gr = grey |
| c Fuel reserve warning lamp | e Switch wiping speed | a Driver's seat retractor switch | nf = neutral |
| d Fuel gauge | I Slow wiping | b Passenger's seat retractor switch | rs = pink |
| e Coolant temperature gauge | II Fast wiping | c Switch in front passenger seat | rt = red |
| f Indicator lamp, open for option | III Intermittent wiping | 65 Warning buzzer contact | sw = black |
| g Indicator lamp, open for option | 26 Wiper motor | 66 Warning buzzer | vi = purple |
| h Instrument lamps | 27 Automatic antenna * | 67 Relay, warning system | ws = white |
| i Rheostat, instrument lamps | 28 Radio | 68 Alternator | Example: |
| j Revolution counter | 29 Stop lamp switch | 69 Alternator regulator | Wire designation 1.5 gr/rt |
| k Indicator lamp, open for option | 30 Electromagnetic clutch, refrigerant compressor | 70 Starter | Basic color gr = grey |
| l Charge indicator lamp | 31 Relay, air conditioner/starter | 71 Trunk lamp | Identification color rt = red |
| m High beam indicator lamp | 32 Main relay, electronic injection | 72 Battery | Cross section of wire 1.5 = 1.5 mm ² |
| n Turn signal indicator lamp right | 33 Relay, fuel pump | 73 Fuel gauge sending unit | |
| 5 Switch, parking brake | 34 Relay, starter valve | 74 Micro switch, heater control system | |
| 6 Temperature sensor, air | 35 Starter lockout and back-up lamp switch | 75 Micro switch, heater control system | |
| 7 Headlamp unit, right | 36 Solenoid valve, automatic transmission | 76 Temperature switch 62 °C (144 °F) receiver drier, air conditioner | |
| a Turn signal lamp | 37 Lighting switch | 77 Temperature switch 100 °C (212 °F) | |
| b Parking lamp/standing lamp | 38 Ignition starter switch | 78 3-way valve, heater control system | |
| c High beam | 39 Washer switch | 79 3-way valve, heater control system | |
| d Low beam | 40 Washer pump | 80 Tail lamp unit, right | |
| e Side marker lamp | 41 Blower motor | a Side marker lamp | |
| f Fog lamp | 42 Distributor | b Turn signal lamp | |
| 8 Fuel injection valves with respective cylinder designation | 43 Spark plugs | c Tail/standing lamp | |
| 9 Temperature sensor, coolant | 44 Door contact switch, right | d Back-up lamp | |
| 10 Dual-tone horn (fanfares) | 45 Entrance lamp, right | e Stop lamp | |
| 11 Warning flasher switch | 46 Blower switch with lamp | 81 License plate lamp | |
| 12 Glove compartment lamp and hand lamp | 47 Illumination, heater controls | | |
| 13 Fuse box | 48 Switch-over valve, ignition advance/emission gas recirculation | | |
| 14 Temperature sensor, water | 49 Kick-down switch | | |
| 15 Pressure sensor | 50 Relay, switch-over valve, ignition | | |



